

to dehydrate not only fruit waste but also grains and pulses. The waste obtained after juice extraction by the food processing industry can be consumed at the same time and it can be converted into useable material such as animal feed to enhance the milk quality and dairy product.

REFERENCES

- [1] Salvador, A., Igual, M., Contreras, C., Martínez-Navarrete, N., Del Mar Camacho, M. 2014. Effect of the inclusion of citrus pulp in the diet of goats on cheeses characteristics. *Small Ruminant Research*, 121, 361-367.
- [2] Bampidis, V., Robinson, P. 2006. Citrus by-products as ruminant feeds: A review. *Animal Feed Science and Technology*, 128, 175-217.
- [3] Erenturk, S., Gulaboglu, M.S., Gultekin, S. 2005. The effects of cutting and drying medium on the vitamin C content of rosehip during drying. *Journal of Food Engineering*, 68, 513-518.
- [4] Wang, Z., Sun, J., Liao, X., Chen, F., Zhao, G., Wu, J., Hu, X. 2007. Mathematical modeling on hot air drying of thin layer apple pomace. *Food Research International*, 40, 39-46.
- [5] Suntornsuk, L., Gritsanapun, W., Nilkamhank, S., Paochom, A. 2002. Quantitation of vitamin C content in herbal juice using direct titration. *Journal of pharmaceutical and biomedical analysis*. 28, 849-855.
- [6] Pascual, J.M., Carmona, J.F. 1980. Citrus pulp in diets for fattening lambs. *Animal Feed Science and Technology*, 5, 11-22.
- [7] Maskan, A., Kaya, S., Maskan, M. 2002. Hot air and sun drying of grape leather (pestil). *Journal of Food Engineering*, 54, 81-88.
- [8] O'Kelly, B.C. 2004. Accurate Determination of Moisture Content of Organic Soils Using the Oven Drying Method. *Drying Technology*, 22, 1767-1776.
- [9] Roe, B., Bruemmer, J. 1975. Estimation of ascorbic acid in orange juice by a chromometric method. *Proceedings of the... annual meeting*.
- [10] Diamante, L., Munro, P. 1991. Mathematical modelling of hot air drying of sweet potato slices. *International journal of food science & technology*, 26, 99-109.

